

# SCRUBBER 50

Al-Powered Robotic Floor Scrubber for Medium to Large Spaces













### **Key Features**

#### Versatile Cleaning

(Ep) 3-in-1 Solution

Integrates scrubbing, sweeping, and dust mopping in a single solution.

2 Main Brush Options

Choose between a disc brush or a roller brush to suit your specific cleaning requirements.

#### **AI-Powered Perception**

(b) Spot Cleaning Mode

Proactively detects and cleans waste using RGB camera and Al algorithms, bringing up to 400% efficiency improvement

(§) Smart Obstacle Avoidance

Recognizes passengers and obstacles and makes advanced behavior decisions according to the types and characteristics of obstacles.

#### Sustainability

( Water Recycling

Features a built-in multi-stage filtration system that recycles and reuses water, reducing freshwater consumption by approximately 80%.

Energy Efficient

Delivers up to 10 hours of runtime in the Spot Cleaning mode, reducing energy consumption by approximately 75%.

#### **Effortless Maintenance**

Quick-Release Cleaning Components

The squeegee assembly and filter components feature a quick-release design for tool-free disassembly and reassembly within seconds.

(a) Docking Stations

Optional workstation for self-docking power charging and water management.

#### **Applicable Flooring Types**





NaturalStone

Artificial Stone

Ceramic

Concrete

PVC

Ероху



## Specification

	Disc Brush	Roller Brush
Net Weight	149 kg   328.5 <b>l</b> b	128 kg   282.2 <b>l</b> b
Cleaning Width	460 mm   18.1 in	406 mm   16 in With side brushes: 780 mm   30.7 in
Edge Cleaning Capability	40 mm   1.6 in	406 mm   16 in With side brushes: 0 mm   0 in
Brush Pressure	25 kg   55 lb	18 kg   39.7 <b>l</b> b
Trash Tray Capacity		2×0.6 L   2×0.16 gal
Max. Runtime	Scrubbing 3 h Dust Mopping 8 h	Scrubbing 3 h Dust Mopping 6 h

Dimension (L×W×H)	810×700×1,070 mm   31.9×27×42.1 in
Charging Time	2 h
Clean/Waste Water Tank	30L / 24 L   7.9 gal / 6.3 gal
Practical Cleaning Efficiency	500-1,200 m²/h  5,382-12,917 ft²/h
Gradeability	4.6°
Min. Pass Width	900 mm   35.4 in
Min. U-turn Width	1,200 mm   47 in
Max. Cleaning Speed	1 m/s   2.2 mph
Sensor System	2D LiDAR, 3D Depth Camera, RGB Camera, Anti-Collision Sensor, etc.

## Award-Winning Excellence Best-Selling Choice











